

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

PERMIT

TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

PRIORITY DATE
December 6, 2012

PERMIT NUMBER
S3-30679

MAILING ADDRESS
Jeffery and Julie Kilgore
P.O. Box 527
Colbert, WA 99005

SITE ADDRESS (IF DIFFERENT)
1032 Bead Lake Road

Quantity Authorized for Withdrawal or Diversion

WITHDRAWAL OR DIVERSION RATE	UNITS	ANNUAL QUANTITY (AF/YR)
0.02	CFS	0.5

Purpose

PURPOSE	WITHDRAWAL OR DIVERSION RATE			ANNUAL QUANTITY (AF/YR)		PERIOD OF USE (mm/dd)
	ADDITIVE	NON- ADDITIVE	UNITS	ADDITIVE	NON-ADDITIVE	
In-house single domestic	0.02		CFS	0.5		01/01 - 12/31

Source Location

COUNTY	WATERBODY	TRIBUTARY TO	WATER RESOURCE INVENTORY AREA				
PEND OREILLE	BEAD LAKE		62-PEND OREILLE				

SOURCE FACILITY/DEVICE	PARCEL	TWP	RNG	SEC	LATITUDE	LONGITUDE
Pump	453209519009	NW¼NE¼ 32 N.	45 E.	09	TBD	TBD
Datum: NAD83/WGS84						

Place of Use

PARCELS (NOT LISTED FOR SERVICE AREAS)

453209519009

LEGAL DESCRIPTION OF AUTHORIZED PLACE OF USE

Tract A Diamond Match within the NW¼NE¼ of Section 9, T. 32 N., R. 45 E.W.M.

Proposed Works

A small pump and pvc water lines

Development Schedule**BEGIN PROJECT**

February 1, 2014

COMPLETE PROJECT

February 1, 2015

PUT WATER TO FULL USE

February 1, 2016

Measurement of Water Use

How often must water use be measured?

annually

How often must water use data be reported to Ecology?

Upon Request by Ecology

What volume should be reported?

Total Annual Volume

What rate should be reported?

Annual Peak Rate of Withdrawal (cfs)

Provisions**Measurements, Monitoring, Metering and Reporting**

An approved measuring device shall be installed and maintained for each of the sources identified by this water right in accordance with the rule "Requirements for Measuring and Reporting Water Use", WAC 173-173.

WAC 173-173 describes the requirements for data accuracy, device installation and operation, and information reporting. It also allows a water user to petition the Department of Ecology for modifications to some of the requirements.

Department of Fish and Wildlife Requirement(s)

The intake(s) shall be screened in accordance with Department of Fish and Wildlife screening criteria (pursuant to RCW 77.57.010, RCW 77.57.070, and RCW 77.57.040). Contact the Department of Fish and Wildlife, 600 Capitol Way N, Olympia, WA 98501-1091. Attention: Habitat Program, Phone: (360) 902-2534 if you have questions about screening criteria. <http://wdfw.wa.gov/about/contact/>

Water Use Efficiency

The water right holder is required to maintain efficient water delivery systems and use of up-to-date water conservation practices consistent with RCW 90.03.005.

Proof of Appropriation

The water right holder shall file the notice of Proof of Appropriation of water (under which the certificate of water right is issued) when the permanent distribution system has been constructed and the quantity of water required by the project has been put to full beneficial use. The certificate will reflect the extent of the project perfected within the limitations of the permit. Elements of a proof inspection may include, as appropriate, the source(s), system instantaneous capacity, beneficial use(s), annual quantity, place of use, and satisfaction of provisions.

This permit shall be subject to cancellation should the permittee fail to comply with the above development schedule and/or to give notice to the Department of Ecology on forms provided by that Department documenting such compliance.

Dated this 15th day of April, 2013, at Spokane, Washington,

DATA REVIEW
OK KT

Department of Ecology

by

Keith L. Stoffel
Keith L. Stoffel, Section Manager

KLS/KT:md

W: Permits/Tusa/2013/Kilgore S3-30679 permit 4-15-2013.doc

PERMIT

U.S. Postal Service™
CERTIFIED MAIL™ RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.com

OFFICIAL USE

Postage	\$
Certified Fee	
Return Receipt Fee (Endorsement Required)	
Restricted Delivery Fee (Endorsement Required)	
Total Postage & Fees	\$

3/7/13

Postmark
Here

Sent To

Street, Apt. No.,
or PO Box No.
City, State, ZIP+4

MR AND MRS JEFFERY KILGORE
P O BOX 527
COLBERT WA 99005

PS Form 3800, August 2006

See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3. Also complete item 4 if Restricted Delivery is desired.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

MR AND MRS JEFFERY KILGORE
P O BOX 527
COLBERT WA 99005

2. Article Number

(Transfer from service label)

7011 3500 0001 8626 3887

PS Form 3811, February 2004

Domestic Return Receipt

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☐ Agent

☒ Addressee

B. Received by (Printed Name)

JEFF KILGORE

C. Date of Delivery

3-8-13

D. Is delivery address different from item 1?

☐ Yes

If YES, enter delivery address below:

☒ No

3. Service Type

☒ Certified Mail

☐ Express Mail

☐ Registered

☐ Return Receipt for Merchandise

☐ Insured Mail

☐ C.O.D.

4. Restricted Delivery? (Extra Fee)

☐ Yes

102595-02-M-1540



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

March 7, 2013

Jeffery and Julie Kilgore
P O Box 527
Colbert WA 99005

Re: Water Right Application No. S3-30679

Dear Mr. and Mrs. Kilgore:

Enclosed is the Department of Ecology's *Report of Examination*. This report contains our decision regarding your application.

Your application has been approved.

You have a right to appeal this action to the Pollution Control Hearing Board (PCHB) within 30 days of the date of receipt of this document. The appeal process is governed by Chapter 43.21B RCW and Chapter 371-08 WAC. "Date of receipt" is defined in RCW 43.21B.001(2).

To appeal, you must do the following within 30 days of the date of receipt of this document:

- File your appeal and a copy of this document with the PCHB (see addresses below). Filing means actual receipt by the PCHB during regular business hours.
- Serve a copy of your appeal and this document on Ecology in paper form - by mail or in person. (See addresses below.) Email is not accepted.


You must also comply with other applicable requirements in Chapter 43.21B RCW and Chapter 371-08 WAC.

Street Addresses	Mailing Addresses
Department of Ecology Attn: Appeals Processing Desk 300 Desmond Drive SE Lacey, WA 98503	Department of Ecology Attn: Appeals Processing Desk PO Box 47608 Olympia, WA 98504-7608
Pollution Control Hearings Board 1111 Israel Road SW Suite 301 Tumwater, WA 98501	Pollution Control Hearings Board PO Box 40903 Olympia, WA 98504-0903

*For additional information visit the Environmental Hearings Office Website:
<http://www.eho.wa.gov> . To find laws and agency rules visit the Washington State Legislature
Website: <http://www1.leg.wa.gov/CodeReviser> .*

If you have any questions, please contact Kevin Brown at 509 329-3422.

Sincerely,



Keith L. Stoffel
Section Manager
Water Resources Program

KLS:KB:ka

Enclosures: Report of Examination
Your Right To Be Heard

By Certified Mail 7011 3500 0001 8626 3887



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

4601 N Monroe Street • Spokane, Washington 99205-1295 • (509)329-3400

April 15, 2013

COPY

Mr. Jeffery Kilgore
Mrs. Julie Kilgore
P.O. Box 527
Colbert, Washington 99005

Re: Surface Water Permit No. S3-30679

Dear Mr. & Mrs. Kilgore:

Enclosed is your permit to be retained for your records. Please read the enclosed information sheet, as well as your entire permit.

This permit authorizes you to construct your project and put water to use.

We are enclosing a *Construction Notice* form. Once you begin construction, complete and submit the form to this office. **If you cannot begin your project by February 1, 2014, you must contact this office to apply for an extension.**

If you have any questions, please contact Kevin Brown at 509-329-3422.

Sincerely,

A handwritten signature in cursive script that reads "Karen Tusa".

Karen Tusa
Water Resources Program
Eastern Regional Office

KT:md

Enclosures: Permit

Construction Notice

Important Information About Your Water Right Permit

